

FIXED IMPLANT LABORATORY PROCEDURE PRESCRIPTION

REQUIRED INFORMATION

Doctor Name _____
Practice Name/ID _____
Address _____
Phone _____
Patient Name _____
Patient Chart No. _____ M F Age _____
Rx Date _____
Due Date/Deliver case by 5pm on _____ (Standard working time if no date given.)

Case turnaround times are based on the date the prescription is received at Treasure Dental Studio. Please allow 12 business days (M-F) from that date. Custom milled abutments will add another 5 days for completion.

IMPLANT SYSTEM


Nobel Biocare Zimmer Ankylos Astra Tech Other: _____
 Straumann Implant Direct Camlog Neodent GM/CM _____

ABUTMENT TYPE

Dr. Supplied Stock _____ Stock Zirconia _____ Other: _____
Stock Titanium _____ Milled Zirconia _____
BruxZir SR _____ Milled Titanium _____

CROWN TYPE

Ceramic: Shade: _____
 IPS e.max Porcelain Fused to:
 IPS e.max S.R. Gold
 Pore. to Zirconia High Noble
 BruxZir Noble
 BruxZir to S.R. Other: _____



(shaded area for lab use only)

CASE DESIGN

MARGIN POSITION OPTIONS

- 1. At Gingival Crest**
No crown impingement at all against tissue.
- 2. One Millimeter Buccal (default)**
Abutment margin placed 1mm below tissue on buccal. 0.5mm on mesial/distal and at gingival crest on lingual.
- 3. Optimized Emergence**
Abutment margin placed as close to interface as possible. Possible extreme tissue impingement. Surgical relief may be required to seat crown.

4. Your Design Specifications

Design your margin position with diagram.

- Buccal _____
- Mesial _____
- Distal _____
- Lingual _____



EMERGENCE WIDTH OPTIONS

- 1. Full Anatomical Dimensions**
Largest diameter abutment provided with best emergence profile possible. A surgical incision for placement may be required.
- 2. Contour Soft Tissue (default)**
Medium diameter anatomically shaped abutment up to 1.0mm larger than the sulcus of model of soft tissue provided.
- 3. Tissue Support**
Anatomically shaped abutment will be up to 0.2mm larger than sulcus of silicone model of soft tissue provided with desired emergence profile. "Easy" insertion.

4. No Tissue Displacement

Abutment with no soft tissue support. The abutment will not touch the soft tissue or stone model of the soft tissue provided.

IMPLANT SPECS.

Diam. of Implant _____
Style of Implant _____

RETRIEVABILITY

Cement Retained _____
Screw Retained _____

RX INSTRUCTION

Dr. Signature _____

License # _____

Send photos and emails to photos@treasuredentalstudio.com

Net 30 days. A finance charge of 2 percent per month will be charged on all past due accounts. If collection is made by suit or otherwise the doctor agrees to pay collection costs, reasonable attorney's fees, and legal expenses.